



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



NOTES:

1. REF. EUROCOPTER T/N: 355A94-3440-08
2. PART OF KIT RBE350A94-3400-04.


△ GRIND FLUSH AFTER INSTALLATION.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	BASE	A36	3/8 X 3-3/8 X 4-1/2	2
			-3	1	TOP	POLYCARBONATE	5/64 X 4 X 4 MCMaster-CARR #1749K84	3
			-5	2	BUSHING	STEEL BACKED BRONZE	6mm MCMaster-CARR #6679K11 (MODIFIED)	4
		B/O	-7	4	BOLT	ZINC PLATED STEEL	M6 x 1 X 25mm MCMaster-CARR #91280A334	1
		B/O	-9	3	NUT	ZINC PLATED STEEL	M6 MCMaster-CARR #90591A151	1
		B/O	-11	2	WASHER	ZINC PLATED STEEL	M6 MCMaster-CARR #91455A120	1
		B/O	-13	1	WASHER	ZINC PLATED STEEL	M6 MCMaster-CARR #91100A150	1
		B/O	-15	2	DRIVE SCREW	ZINC PLATED STEEL	#7 X 3/8 MCMaster-CARR #90081A168	1



RED BARN MACHINE	
TITLE SIGHT PATTERN INTERM. BEARING	
DWG NO. RBE355A94-3440-08	REV
MAT'L	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AS350 & AS355
SCALE 1:2	DATE 9/26/2013
	SHEET 1 OF 4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED






(-1)
BASE





RED BARN MACHINE	
TITLE SIGHT PATTERN INTERM. BEARING	
DWG NO. RBE355A94-3440-08-1	REV
MAT'L A36	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED <i>D Weil</i>
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	HEAT TREAT FINISH CAD PLATE YELLOW
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SPEC QQ-P-416F, TYPE II, CLASS II
SCALE 1:1	DATE 9/26/2013
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



(-5)
BUSHING

 RED BARN MACHINE	
TITLE SIGHT PATTERN INTERM. BEARING	
DWG NO. RBE355A94-3440-08-5	REV
MAT'L STEEL BACKED BRONZE	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED 
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	HEAT TREAT FINISH SPEC USED ON MODEL AS350 & AS355
SCALE 4:1	DATE 9/27/2013 SHEET 4 OF 4